


Perdite di carico all'evaporatore a fascio tubiero/Shell and tube evaporator pressure drops (standard)


(gas frigorifero: R407C; fluido raffreddato: acqua pura/refrigerant R407C; cooled fluid: clean water)



ECS.230 ÷ ECS.370

Perdite di carico all'evaporatore a fascio tubiero/Shell and tube evaporator pressure drops (standard)


(gas frigorifero: R407C; fluido raffreddato: acqua pura/refrigerant R407C; cooled fluid: clean water)



ECS.425 ÷ ECS.840

Perdite di carico all'evaporatore a fascio tubiero/Shell and tube evaporator pressure drops (standard)

(gas frigorifero: R407C; fluido raffreddato: glicole etilene 30%/refrigerant R407C; cooled fluid: ethylene glycol 30%)




— ECS 230 — ECS 290 — ECS 320 — ECS 370

ECS.230 ÷ ECS.370

Perdite di carico all'evaporatore a fascio tubiero/Shell and tube evaporator pressure drops (standard)

(gas frigorifero: R407C; fluido raffreddato: glicole etilene 30%/refrigerant R407C; cooled fluid: ethylene glycol 30%)



— ECS 425 — ECS 545 — ECS 630 — ECS 750 — ECS 840

ECS.425 ÷ ECS.840